

Bestchamte Lighting Limited

3/F, #C Building, GaoPu Industrial Districts, JiaoXin, Shijing, Baiyun, Guangzhou

TEL : +86-20-29052212

Mobile: +86-18620504633

Email : manager@bestchamte.net

Website: www.bestchamte.com



LED Moving Head 36PCS With ZOOM, Touch Screen, Powercon Input & Output 4IN1/5IN1/6IN1

Item No.: LED-3610/LED-3615/LED-3618

Voltage: AC90V-240V/50-60Hz

Power: 300W/400W/500W

LED : 36*10W/15W/18W

Color : RGBW/RGBWA/RGBWA+UV

Control Mode : DMX512 , Master-Slave , Sound activated , Auto

Control Channels : 12 CHs

Dimmer : 0-100% Linear Dimmer

Pan : 540° Tilt : 260°

N/W : 9KG G/W : 11KG





LED Moving Head 37PCS 15W 4IN1 RGBW With ZOOM
Item No.: LED-3715

Voltage: AC90-240V 50-60Hz

Power:700W

Movement PAN 540 °TILT 250 °16bit fine adjustment

DMX channel: 18CH /42CH

LED: **37*15W 4IN1 RGBW**

Control: DMX512, self-propelled, voice control, Artnet (optional)

Beam angle 4-60 °adjustable

Strobe: 1-25 times / sec with multiple strobe effects

Dimming: 0-100% linear dimming.

With RDM function, you can modify the DMX address and display related parameters through the console.





LED Moving Head SPOT Light 150W

Item No.: LED-150

Power: 189W Max

Light Source: **1 X 150W White LED**

Beam Angle: 11 °(on full open) ,2 °/4 °/6 °/8 °/10 °(with beam reducer), 3 °/6 °/9 °/12 °/15 °/20 °(with zoom lens)

Spot Angle: Fix Gobo: 2 ° or 15 °(with zoom lens)

Rotating Gobo: 10 ° or 17 °(with zoom lens)

Wash Angle: 15 °/28 °

Shutter: Independent shutter and various strobe effect

Color wheel:8 colors + open,rainbow effect in both directions.

Static gobo wheel:7 gobos + open

Rotating gobo wheel:6 gobos + open


Prism : 3-facet prism rotating in both directions

AFrost: Independent frost effect

Focus:Motorized focus

Zoom:Motorized linear zoom system

Control mode:DMX 512,auto,sound,master-slave





LED Moving Head BEAM Light 120W

Item No.: BM-120

Power: 240W Max

Light source: 1 * 120W white LED

Color Disk: 1 color wheel, 7 colors, with adjustable speed and variable direction rainbow effect;

Patterns Disk: 1 revolving pattern wheel belt, 7 revolving and replaceable patterned patterned patterned patterned patterned (glass patterned optional) and adjustable speed. Flow effect, dithering effect and clockwise or counterclockwise rotation; 1. Fixed pattern The wheel belt has 9 patterns and adjustable speed, flow effect and dithering effect.

Focusing: 2 m to infinite electronic focusing function;

Output Angle: 15 degree projection beam angle advanced optical energy efficiency;

Dimming/stroboscopic: 0-100% and 1-18 times per second

Control: 17 DMX control channels





100W LED Spot

Item NO.: LED-100

Voltage: AC90-240V 50-60Hz

Power:200W

Material: Plastic

LED:100W White

Channels: 12/20CH

Color Wheel: 7 colors+white

Gobo Sheet: 7 gobos+blank

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Weight : 6.5kg

Size of carton:39*31*29cm



60W LED Beam with Light Ring

Item NO.: BM-60R

Voltage: AC90-240V 50-60Hz

Power:60W

Material: Plastic

LED:4IN1 RGBW 60W

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Beam Angle:4 °

DMX:10/13CH

Weight : 3kg

Size of carton:29*20*23cm





60W LED SPOT with Light Ring

Item NO.: LED-60R

Voltage: AC90-240V 50-60Hz

Power:90W

Material: Plastic

LED:60W White

Prism: 3 faces

Color Wheel: 7 colors+white

Gobo Sheet: 7 gobos+blank

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Weight : 3kg

Size of carton:33*25*22cm



30W LED SPOT+LASER

Item NO.: LED-30L

Voltage: AC90-240V 50-60Hz

Power:120W

Material: Plastic

LED:30W White

Laser: 200Mw Green

Color Wheel: 7 colors+white

Gobo Sheet: 7 gobos+blank

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Weight : 2.5kg

Size of carton:24*21*38cm





30W LED SPOT Light with Light Ring

Item No.: LED-30R

Voltage: AC90-240V 50-60Hz

Power:30W

Material: Plastic

LED:4IN1 RGBW 30W

Control Mode: Auto,Sound-Control,Master/Slave,DMX512


N.W : 3.15KG

Size of inner box: 29*21*27cm

Size of Outer Carton: 46*31*28cm

Packing: 4pcs/carton

G.W: 14KG



LED WASH SPOT Laser Light

Item No.: LED-120B

Voltage: AC90-240V 50-60Hz

Power:120W

Material: Plastic

LED:4IN1 RGBW 10W*6+30W*1

Laser:100mw Green

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

DMX:9/14CH

N.W : 3KG





4 Heads Beam Light 4*10W RGBW 4IN1

Item No.: LED-0410

Voltage: AC90-240V 50-60Hz

Power:80W

LED:4IN1 RGBW 10W*4

Dimmer: 0-100% linear adjustment

Beam angle: 8 °

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

DMX:13/25CH



5 Heads Beam Light 5*10W RGBW 4IN1

Item No.: LED-0510

Voltage: AC90-240V 50-60Hz

Power:100W

Fuse:F5AL 250V

LED:4IN1 RGBW 10W*5

Dimmer: 0-100% linear adjustment

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

DMX:4/16/22CH

Weight:4.9kg

Size:27*27*23cm





30W LED Moving Head SPOT Light with Light Ring

Item No.: LED-30B

Voltage: AC90-240V 50-60Hz

Power:30W

Material: Plastic

LED:4IN1 RGBW 30W

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

N.W : 3.15KG

Size of inner box: 29*21*27cm

Size of Outer Carton: 46*31*28cm

Packing: 4pcs/carton

G.W: 14KG



8 Heads Beam Light 8*10W RGBW 4IN1

Item No.: LED-0810B

Voltage: AC90-240V 50-60Hz

Power:120W

LED:4IN1 RGBW 10W*8


Dimmer: 0-100% linear adjustment

Pan/Tilt: X: Endless Y:180 °

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

DMX:18/31/47CH





LED Magic Windmill Light

Item No.: LED-576

Input voltage: AC110-220V 50-60Hz

Power: 200W


Product size: 66cmX66cmX22.5cm

LED: RGBW 4IN1 SMD5050*576

Dimmer: 0-100% linear adjustment

Control mode: DMX. Voice control. Self-propelled. Master-slave

Channel mode: 5/13CH





Magic Matrix 9*10W RGBW 4IN1

Item No.: LED-0910M

Input voltage: AC110-220V 50-60Hz

Power: 100W

Lamp beads: **9X10W RGBW4 in 1**

Control mode: DMX. Voice control. Auto. Master-slave

Appearance material: engineering plastic. aluminum alloy

Optical angle: 8°

Strobe: High-speed electronically adjusted strobe

XY axis angle: X axis 540. Y axis 180

Channel mode: 15\20\47CH

Cooling system: high-power cooling fan



LED Dual Beam Light 2X30W RGBW 4IN1

Item No.: BM-60D

Voltage : AC110/240V,50-60Hz

Power : 80W

Light : **2X30W RGBW 4IN1 LED+2*12 5050 LED 3IN1**

Display : Digital display, easy to control

Dimmer : 0-100%

Angle : 0-180°

Control : DMX512,Master/Slave , Sound , Auto

DMX Channel: 13/21CH

Size : 26.5*16*36.5 cm



LED 4 Heads Beam Light

Item No.: BM-240D

Input Voltage: AC90-240V 50-60Hz

LED Power: 4*60W RGBW

Consumption Power: 240W

Play/Control Mode: Auto/Sound/DMX512/Master-Slave

Channel: 12/72CH

Dimmer: 0-100% linear dimming

Pan/Tilt: Movement X-axis Infinite Tilt rotating

Strobe: 1-25Hz/Second with various stroboscopic effect

Beam angle: 5-10°

IP Rating: IP20

Product Size: 31*17*21.5CM



LED Moving Head Beam 4*25W

Item No.: BM-4

Input voltage:AC100-240V, 50/60Hz

Power:120W

LED: 4pcs 25W White LED

DMX channel:15CH

Lumen: 5M

Mode:DMX512,Master-slave,Auto,Sound

Color wheel:A plate of RGB,bright colors, flowing water effect

X/Y:540 ° / 200 °, controllable speed

Optical Angle:8 °

Smooth-electronic dimming:0-100%



LED Matrix Beam Light 9X40W RGBW 4IN1

Item No.: LED-0910A

Voltage : AC110/240V,50-60Hz

Power : 370W

Light : **9X40W RGBW 4IN1 LEDs**

Fuse: : F5AL250V

Display : 2.4 inch TFT display, easy to control

Dimmer : 0-100%

Beam Angle : 8 °

Control : DMX512,Master/Slave , Sound , Auto

DMX Channel: 4/16/38CH

Size : 42.4*42.4*25.4 cm



LED Moving Head 7PCS 4IN1,5IN1,6IN1

Item No.: LED-0710B,LED-0715B,LED-0718B

Input Voltage : AC90-260V, 50-60Hz

LED : 7 LEDs 4IN1,5IN1,6IN1

Pan /Tilt : 540 °/270 °

RGBW Color Mixing

Control Signal : DMX512 ,Master-Slave , Sound activated , Auto

Control Channels : 4/11DMX CHs

Power Consumption : 70W/100W/120W

N/W: 4.5KG G/W : 5KG



LED Moving Head Beam 12*10W 4 IN 1

Item No.: BM-1210

Voltage: AC90-240V, 50/60Hz

Power Consumption: 160W

Cooling : Fan Cooling

Light source: 12pcs x 10W 4 IN 1 LED

Beam angle: 15 °, 25 °, 30 °, 35 °, 40 °

Lamp Life: 50, 000 Hours

Operation modes: DMX512, Master/Slave, Auto ,Sound

DMX Channels: 11 or 15CHS

Movement: Pan/Tilt: 540 °/270 °, speed adjustable

Dimmer: Smooth electronic dimming: 0-100%



Mini Bee Eyes LED Moving Head 6*12W,4in1

Item No.: LED-0612

Beam Angle: 6.5 °

Power Consumption: 100W

Power Voltage: AC 100-240V, 50/60Hz

DMX Channel: 15 Channel

Control Modes: DMX512,

Pan/Tilt: 540 ° / 270 °

Pan/Tilt Resolution: 16 bit

Display: LCD Display

Dimmer: 0~100% smooth dimming

Fast, quiet operation and flicker free



Mini LED Moving Head 7PCS 4IN1,5IN1,6IN1

Item No.: LED-0710,LED-0715,LED-0718

Input Voltage : AC90-260V, 50-60Hz

LED : 7 LEDs 4IN1,5IN1,6IN1

Pan /Tilt : 540 °/270 °

RGBW Color Mixing

Control Signal : DMX512 ,Master-Slave , Sound activated , Auto

Control Channels : 4/11DMX CHs

Power Consumption : 70W/100W/120W

N/W: 3KG G/W : 3.5KG



Mini LED Moving Head 18*3W

Item No.: LED-1803

Power Supply : AC110V/240V, 50-60Hz

Power Consumption : 100W

Lamp : 18 * 3W LED RGB

Digital Strobe ,Digital Dimmer (0-100%)

LCD Display , Master/Slave/DMX

User Mode : Standalone , Music ,Master/Slave , DMX512

Channels : 4/12CHs



Bee Eyes with ZOOM LED Moving Head 7*15W,4in1 RGBW
Item No.: LED-0715Z

Beam Angle:4 °- 60 °
Power Consumption: 280W
Power Voltage: AC 100-240V, 50/60Hz
DMX Channel: 12/17 Channel
Control Modes: DMX512,
Pan/Tilt: 540 °/ 270 ° Pan/Tilt Resolution: 16 bit
Display: LCD Display
Dimmer: 0~100% smooth dimming
Fast, quiet operation and flicker free



Bee Eyes with ZOOM Moving Head 12*15W,4in1 RGBW
Item No.: LED-1215Z

Beam Angle:4.5 °- 45 °
Power Consumption: 300W
Power Voltage: AC 100-240V, 50/60Hz
DMX Channel: 17CH/58CH/18CH/11CH
Features: Scan position memory,auto reposition after unexpected movement RGBW color mixing system, color uniformity bright LED shutter,LED dimming,LED rainbow effect,Macros effect
Strobe effect with 18 flashes per second and pulse effect
General dimming and blackout for all four colors Built-in dual temperature control function



Bee Eyes with ZOOM Moving Head 19*15W,4in1 RGBW
Item No.: LED-1915Z

Beam Angle:4 °-60 °Electronic Zoom angle
Power Consumption: 500W
Power Voltage: AC 100-240V, 50/60Hz
DMX Channel: 21CH/35CH/78CH
Color temperature: 2500 - 8000 k
DMX512:3/5-pin XLR IN-OUT sockets
Effect: Three operating modes: wash, beam ,Front Lens Bi-directional Rotation ;Digital Wash-Beam Framing effect ,Beam edge softening control
Linear Dimmer :0-100%



LED Moving Head Wash 19*12W,4 in 1 with ZOOM
Item No.: LED-1912

Voltage: AC 90-240v, 50/60Hz
Power consumption: 280w
Lighting Source: 19 pcs 12w LED RGBW 4IN1
Control: DMX, master slave, sound active, auto mode.
Beam angle: 5-60 °
Display: LCD display
N.W.: 9 kg
size: 290×210×400mm



Mini LED SPOT 10W 4 IN 1

Item No.: LED-10

Input power:AC100-240V 50/60 Hz

Power consumption :22 W

LED:1PCS 10W high power white LED

DMX channel:4/12channels

Movement:Pan/Tilt:X axis 540degree, Y axis 190degree

Control mode:DMX512/Master-Slave/Auto run/sound

Color wheel: 7 color + open ,rainbow -flow effect

8 internal program , sound mode can control by DXM 512



Mini LED BEAM 10W 4IN1 RGBW

Item No.: BM-10

Input power:AC100-240V 50/60 Hz

Power consumption :22 W

LED:1PCS 10W high power white LED

DMX channels: 6CH, 10CH

8 bit smooth dimming

Electronic dimmer:0-100% linear

Electronic strobe:0-20 flashes/sec, various of strobe effect

Built-in color changing macro, fade in & out macro



3 Heads Led Spider Beam Moving Light RGBW 9X10W

Item No.: BM-0910C

Voltage: AC100V-240V 50/60Hz

Power Consumption: 100W

Light source: LED RGBW 9X10W

Strobe: High-speed electronic strobe, 1-25 times / sec

LED beam angle: 5 °

Control: DMX512, master-slave control, self-propelled

Channel mode: 2/6/15/23/45 Channels

Function: a variety of built-in programs, stunning voice effects



LED Moving Head Beam 36*3W

Item No.: LED-3603

Voltage: AC90-240V, 50/60Hz

Power Consumption: 160W

Fuse: T4A

Cooling : Fan Cooling

Light source: 36pcs x 3W LED (R8, G10, B10, W8)

Beam angle: 15 °, 25 °, 30 °, 35 °, 40 °, 45 °, 60 °

Lamp Life: 50, 000 Hours

Operation modes: DMX512, Master/Slave, Auto ,Sound

DMX Channels: 11 or 15CHS

Movement: Pan/Tilt: 540 °/270 °, speed adjustable

Dimmer: Smooth electronic dimming: 0-100%



LED Moving Head 108*3W

Item No.: LED-1083

Power Consumption : 350W

CH : 9 Or 12 CHs

Dimmer/Strobe : 0-100% /0-249Hz

Lence angle : 15/30/45/60 Selectable

Control Mode : DMX512, Master/Slave, Sound , Auto

Pan Scan : 540 ° or 630 °

Titl Scan : 225 °

Big box Size : 46*33.5*38.5(cm)

N/W : 9kg G/W : 11KG



LED Moving Head 120*3W

Item No.: LED-1203

Voltage : AC110/240V,50-60Hz

Power : 380W

Light : 120 * 3W LEDs

Colors : RGB Color Mixing System LED Rainbow Effect

Dimmer : 0-100% Strobe : 1-18 F.P.S . Plus Effect

Beam Angle : Standard 13 ° , Optional 23 °

Control : DMX512 (16CHs) ,Master/Slave , Sound , Auto

Housing : Composite Plastic + Aluminum (IP20)



LED Matrix 16*10w RGB 3IN1 LED

Item No.: LED-1610A

Power Supply: AC100V-240V, 50/60Hz

Power Consumption: Max.160W

Switch Power Supply: Built-in and auto switching

LEDs: 16pcs * 10W, RGB 3IN1

Color Rendering Index(CRI): Ra>80

LED Lifespan: >50,000 hours

Refresh Rate >100 Hz

Beam Angle: 38 °

Control Mode: DMX, Autorun and Master/Slave

DMX Channels: 8/48 CH



LED Matrix 25*10w RGB 3IN1 LED

Item No.: LED-2510A

Power:800w

Light Source:25*10w RGB 3IN1 LEDs

Life span:>50,000 hours

Switch Power Supply:Built-in and auto switching

Beam Angle:38 °

Control Mode:DMX, Auto and Master/Slave

DMX Channels:8/80 CH,Built-in Auto programs

Electronic Dimmer:0-100% linear dimmer

Electronic Strobe:1-20 flashes/second

Cooling:Forced Air Convection, with 4 Fans

Setting and Addressing:4-digit LED



LED Matrix 9*10W,RGBW,4IN1

Item No.: LED-0910B

Light Source: 9x12w RGBW 4IN1 LEDs

Input Voltage: AC100-250V, 50/60HZ

Power Consumption: 115W

Beam angle: 8 °

Control Mode: DMX, master&slave, sound control

DMX Channel Mode: 1CHs,16CHs,48CHs

Dimming: 0%-100% linear dimming

Focus: Electronic focus



LED Matrix 25*10W,RGBW,4IN1

Item No.: LED-2510B

Light Sources: 25x 15W ;4in1 RGBW LED

LENS Beam Angle: 8 °

Power Consumption: 280W

Power Voltage: AC 100-240V, 50/60Hz

DMX Channel: 19/29/117 Channels

Pan/Tilt: 540 ° / 270 °

Construction;Display: LCD Display

Data In/Out socket: 3-pin XLR sockets



LED Moving Head Beam 8*10W

Item No.: BM-0810

Voltage: AC100-240V, 50/60Hz

Power: 90w

LEDS: 8*10W 4 in 1 RGBW LED

DMX Channels: 9/38CHS

Control: DMX512, master/slave, Auto ,Sound

Life:50000Hs

Beam angle: 10 °

Function: color change,dimmer,Pan/Tilt

size: 108*8*13cm

weight: 7kg



LED Moving Head Bar 10*40W RGBW

Item No.: BM-1040

Power: 450w

LEDS: 10*40W RGBW LED

DMX Channels: 5/7/14/18/42/54CH

Control: DMX512, master/slave, Auto ,Sound

18 times/s high-speed strobe

Beam angle: 2 °

flicker free 10kHz dimming refresh PWM

stroboscopic,shooting, camera without flicker.

size: 116*18*32.5CM

weight: 14kg



Spider Light 8*10W, RGBW,4IN1

Item No.: BM-0810B

Light sources: 8 x 10W RGBW

Beam angle: 6.5 Degree

Control modes: DMX, Master/Slave, Sound Active, Auto

Pan/Tilt: 540 ° 230 °

Effect: Delivering long-throw colorful multi-beam effects

Dimmer: 0~100% smooth dimming

Strobe: Variable strobe speeds

Power voltage: AC 100-240V, 50/60Hz

Power consumption: 80W

Dimension 460x 315x 240mm

Weight: 6.5Kgs



Moving Spider Light 8*10W, RGBW

Item No.: BM-0810C

Input power: AC100-240V 50/60 Hz

LED: 8PCS 10W high power RGBW LED

DMX channel: 13/46 channels

Pan/Tilt:X axis540 °, Y1 axis 120 °, Y2 axis120 °

Control mode: DMX512/Master-Slave/Auto

Run Display:Blue blueground LCD display

Beam angle: 8 degree

Pan/tilt speed: 3 selectable for High, medium and low speed



Moving Spider Light 8*10W, RGBW

Item No.: BM-0810D

Input power: AC100-240V 50/60 Hz

LED: 8PCS 10W high power RGBW LED

DMX channel: 15/46 channels

Pan/Tilt:X axis540 °, Y1 axis 120 °, Y2 axis120 °

Control mode: DMX512/Master-Slave/Auto

Run Display:Blue blueground LCD display

Beam angle: 8 degree

Pan/tilt speed: 3 selectable for High, medium and low speed